According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.03.2021 Page 1 of 13

## PoloKey Gloss Finish Part A

#### **SECTION 1: Identification**

#### **Product identifier**

Product name: PoloKey Gloss Finish Part A

Product code: 426A-5

#### Recommended use of the product and restriction on use

**Relevant identified uses:** Not determined or not applicable. **Uses advised against:** Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

#### Manufacturer or supplier details

#### Manufacturer: United States

Poloplaz 1 Paradise Park Road Jacksonville, AR 72076 501-985-1172 www.poloplaz.com

## **Emergency telephone number:**

**United States** 

Infotrac 1-800-535-5053 (24/7)

#### SECTION 2: Hazard(s) identification

#### **GHS** classification:

Serious eye damage, category 1 Flammable liquids, category 3 Skin sensitization, category 1

## **Label elements**

#### Hazard pictograms:







# Signal word: Danger Hazard statements:

H226 Flammable liquid and vapor

H318 Causes serious eye damage

H317 May cause an allergic skin reaction

#### **Precautionary statements:**

P280 Wear protective gloves/protective clothing/eye protection/face protection

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking

P233 Keep container tightly closed

P240 Ground/bond container and receiving equipment

P241 Use explosion-proof electrical/ ventilating/ lighting/.../ equipment

P242 Use only non-sparking tools

P243 Take precautionary measures against static discharge

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.03.2021 Page 2 of 13

#### PoloKey Gloss Finish Part A

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P272 Contaminated work clothing must not be allowed out of the workplace

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor/...

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P370+P378 In case of fire: Use ... to extinguish

P302+P352 IF ON SKIN: Wash with plenty of water/ ...

P333+P313 If skin irritation or rash occurs: Get medical advice/attention

P321 Specific treatment (see ... on this label)

P363 Wash contaminated clothing before reuse

P403+P235 Store in a well-ventilated place. Keep cool

P501 Dispose of contents/container to... Hazards not otherwise classified: None

# **SECTION 3: Composition/information on ingredients**

Identification	Name	Weight %
CAS number: 37625-56-2	ε-Caprolactone, oligomeric reaction products with propylidynetrimethanol	<28
CAS number: 108-32-7	Propylene carbonate	<16
CAS number: 9011-05-6	Urea, polymer with formaldehyde	<5
CAS number: 64742-47-8	Distillates (petroleum), hydrotreated light	<5
CAS number: 127087-87-0	4-Nonylphenol, branched, ethoxylated	<3
CAS number: 78-51-3	Tris(2-butoxyethyl) phosphate	<3

Additional Information: None

#### **SECTION 4: First aid measures**

#### **Description of first aid measures**

## **General notes:**

Show this Safety Data Sheet to the doctor in attendance.

#### After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention.

# After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.03.2021 Page 3 of 13

#### PoloKey Gloss Finish Part A

minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

#### **After eye contact:**

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

#### After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

#### Most important symptoms and effects, both acute and delayed

## Acute symptoms and effects:

Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.

Product is flammable. Exposure to sources of ignition may cause physical injury.

Dermal exposure may cause an allergic skin reaction. Symptoms may include irritation, redness, pain, rash, inflammation, itching, burning and dermatitis.

## **Delayed symptoms and effects:**

Effects are dependent on exposure (dose, concentration, contact time).

#### Immediate medical attention and special treatment

#### **Specific treatment:**

In case of eye contact, seek prompt medical attention while rinsing is continued.

Skin/eye burns require immediate treatment.

#### Notes for the doctor:

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### **Extinguishing media**

#### Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Dry chemical, CO2, water spray or alcohol-resistant foam.

# Unsuitable extinguishing media:

Do not use water jet.

#### Specific hazards during fire-fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Flammable liquid. Will be easily ignitable by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Inhalation or contact with material may irritate or burn skin and eyes. Fire may produce irritating, corrosive and/or toxic gases. Vapors may cause dizziness or suffocation.

#### Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.03.2021 Page 4 of 13

#### PoloKey Gloss Finish Part A

#### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

Evacuate non-essential personnel. Ventilate closed spaces before entering. Consider initial evacuation for 300 meters in all directions. If tank/rail car is involved in the fire, ISOLATE for 800 meters in all directions. Fight fire from a maximum distance. Move containers from fire area if you can do it without risk. Use water spray/fog for cooling fire exposed containers. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. Always stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles. If this is impossible, withdraw from area and let fire burn. Stand by, at a safe distance, with extinguisher ready for possible re-ignition. A vapor-suppressing foam may be used to reduce vapors. Avoid unnecessary run-off of extinguishing media which may cause pollution. Do not handle damaged containers unless specialized to do so.

#### **SECTION 6: Accidental release measures**

## Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. All equipment used when handling the product must be grounded. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

#### **Environmental precautions:**

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

## Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. A vapor-suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

#### Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

#### **SECTION 7: Handling and storage**

#### Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Do not get in eyes. Avoid contact with skin and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical, ventilating and lighting equipment. Take action to prevent static discharges. Handle containers with caution. Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.03.2021 Page 5 of 13

#### PoloKey Gloss Finish Part A

areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

## Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

#### SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

## Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Distillates (petroleum), hydrotreated light		8-Hour TWA: 200 mg/m³ (Kerosene and jet fuels [non- aerosol], as total hydrocarbon vapor)
NIOSH	Distillates (petroleum), hydrotreated light	64742-47-8	REL-TWA: 100 mg/m³ (Kerosene)

#### **Biological limit values:**

No biological exposure limits noted for the ingredient(s).

#### Information on monitoring procedures:

Not determined or not applicable.

#### Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

# Personal protection equipment

#### Eye and face protection:

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

## Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.03.2021 Page 6 of 13

#### **PoloKey Gloss Finish Part A**

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

#### **Respiratory protection:**

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

## General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

# **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

Appearance	Clear
Odor	Petroleum odor
Odor threshold	Not determined or not available.
рН	Not Available
Melting point/freezing point	Not Available
Initial boiling point/range	190°C - 211°C ( Distillates ( petroleum), hydrotreated light solvent)
Flash point (closed cup)	> 103 ° F
Evaporation rate	0.04 (BuAc =1) ( Distillates ( petroleum), hydrotreated light solvent)
Flammability (solid, gas)	Not Available
Upper flammability/explosive limit	5.0% ( Distillates ( petroleum), hydrotreated light solvent)
Lower flammability/explosive limit	Not Available
Vapor pressure	0.7% ( Distillates ( petroleum), hydrotreated light solvent)
Vapor density	Not Available
Density	9.24 Lb/Gal
Relative density	1.107
Solubilities	Not Available
Partition coefficient (n-octanol/water)	Not Available
Auto/Self-ignition temperature	Not Available
Decomposition temperature	Not Available
Dynamic viscosity	Not Available
Kinematic viscosity	Not Available
Explosive properties	Not Available
Oxidizing properties	Not Available

## Other information

#### **SECTION 10: Stability and reactivity**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.03.2021 Page 7 of 13

#### PoloKey Gloss Finish Part A

#### Reactivity:

Not reactive under recommended handling and storage conditions.

#### **Chemical stability:**

Stable under recommended handling and storage conditions.

## Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

#### Conditions to avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials. Extreme heat, open flames, hot surfaces, sparks, ignition sources, static electricity and incompatible materials. Vapor accumulation in low or confined areas.

# Incompatible materials:

None known.

#### Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

#### **Acute toxicity**

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result
ε-Caprolactone, oligomeric reaction products with propylidynetrimethanol	oral	LD50 Rat: >2000 mg/kg
4-Nonylphenol, branched, ethoxylated	oral	LD50 Rat: 657.2 mg/kg
Distillates (petroleum),	oral	LD50 >5000: Rat mg/kg
hydrotreated light	dermal	LD50 >2000: Rabbit mg/kg
	inhalation	LC50 >5.28: Rat mg/L (4h Vapor)
Propylene carbonate	oral	LD50 Rat: 20700 mg/kg
	dermal	LD50 Rabbit: >2000 mg/kg
Tris(2-butoxyethyl) phosphate	oral	LD50 Rat: >2000 mg/kg
	inhalation	LC50 Rat: >6.4 mg/L (4 hours)
	dermal	LD50 Rabbit: >5000 mg/kg

## Skin corrosion/irritation

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

#### Substance data:

Name	Result
4-Nonylphenol, branched, ethoxylated	Causes skin irritation.

## Serious eye damage/irritation

#### **Assessment:**

Causes serious eye damage.

## **Product data:**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.03.2021 Page 8 of 13

## **PoloKey Gloss Finish Part A**

No data available.

#### **Substance data:**

Name	Result
4-Nonylphenol, branched, ethoxylated	Causes serious eye damage.
Propylene carbonate	Causes serious eye irritation.

# Respiratory or skin sensitization

## **Assessment:**

May cause an allergic skin reaction.

**Product data:** No data available.

Substance data: No data available.

Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available. Substance data: No data available.

# International Agency for Research on Cancer (IARC):

Name	Classification
4-Nonylphenol, branched, ethoxylated	Not Applicable
Urea, polymer with formaldehyde	Not Applicable
Distillates (petroleum), hydrotreated light	Not Applicable
Propylene carbonate	Not Applicable
Tris(2-butoxyethyl) phosphate	Not Applicable

# **National Toxicology Program (NTP):**

Name	Classification
4-Nonylphenol, branched, ethoxylated	Not Applicable
Urea, polymer with formaldehyde	Not Applicable
Distillates (petroleum), hydrotreated light	Not Applicable
Propylene carbonate	Not Applicable
Tris(2-butoxyethyl) phosphate	Not Applicable

**OSHA Carcinogens:** Not applicable

Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

**Substance data:** No data available.

**Reproductive toxicity** 

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** 

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.03.2021 Page 9 of 13

## PoloKey Gloss Finish Part A

No data available.

Substance data: No data available.

**Specific target organ toxicity (single exposure)** 

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

**Aspiration toxicity** 

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. Substance data:

Name	Result
Distillates (petroleum),	May be fatal if swallowed and enters airways.
hydrotreated light	

## Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data available. Other information:

No data available.

## **SECTION 12: Ecological information**

## Acute (short-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

**Substance data:** 

Name	Result
ε-Caprolactone, oligomeric reaction products with propylidynetrimethanol	LC50 Danio rerio: 150 mg/L (96 hours)
	EC50 Daphnia magna: >900 mg/L (48 hours)
Distillates (petroleum), hydrotreated light	LC50 Pimephales promelas: 41 - 45 mg/L (96 H)
	LC50 Oncorhynchus mykiss: 2.34 - 9.22 mg/L (96 H)
	EC50 Daphnia Magna: 170 - 226 mg/L (24 H)
	EC50 Selenastrum capricornutum (Algae): 19 - 56 mg/L (72 H)
Propylene carbonate	EC50 Daphnia magna: >1000 mg/L (48 hours)
	EC50 Freshwater algae: >900 mg/L (72 hours)
Tris(2-butoxyethyl) phosphate	LC50 Oncorhynchus mykiss: 24 mg/L (96 hours)
	LC50 Daphnia magna: 53 mg/L (48 hours)

## Chronic (long-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.03.2021 Page 10 of 13

## PoloKey Gloss Finish Part A

Product data: No data available. Substance data: No data available.

# Persistence and degradability Product data: No data available.

#### **Substance data:**

Name	Result
ε-Caprolactone, oligomeric reaction products with propylidynetrimethanol	Readily biodegradable.
4-Nonylphenol, branched, ethoxylated	The substance is readily biodegradable (81% degradation in 28 days).
Propylene carbonate	Readily biodegradable (97% degradation in 28 days).
Tris(2-butoxyethyl) phosphate	Readily biodegradable.

## **Bioaccumulative potential**

Product data: No data available.

#### **Substance data:**

Name	Result
ε-Caprolactone, oligomeric reaction products with propylidynetrimethanol	Log Kow: 2.4; Low potential for bioaccumulation.
4-Nonylphenol, branched, ethoxylated	The substance is not expected to bioaccumulate (BCF: 7.86 L/kg ww).
Propylene carbonate	No bioaccumulation is expected based on the low log Kow (log Pow= -0.41) and the property of readily biodegradability of the substance.
Tris(2-butoxyethyl) phosphate	BCF: 5.8

# Mobility in soil

Product data: No data available.

#### Substance data:

Name	Result
ε-Caprolactone, oligomeric reaction products with propylidynetrimethanol	Log Kow: 2.4; Low potential for adsorption to solid soil phase.
Propylene carbonate	Log Koc: 0.81
Tris(2-butoxyethyl) phosphate	Koc at 20°C: 299.2

#### Results of PBT and vPvB assessment

#### **Product data:**

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

#### Substance data:

#### **PBT** assessment:

ε-Caprolactone, oligomeric reaction products with propylidynetrimethanol	Substance is not PBT.
4-Nonylphenol, branched, ethoxylated	The substance is not PBT.
	This substance is a UVCB and does not contain constituents included in the SVHC candidate list as PBT at concentrations above 0.1%.
Propylene carbonate	Substance is not PBT.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.03.2021 Page 11 of 13

## **PoloKey Gloss Finish Part A**

Tris(2-butoxyethyl) phosphate	Substance is not PBT.
vPvB assessment:	
ε-Caprolactone, oligomeric reaction products with propylidynetrimethanol	Substance is not vPvB.
4-Nonylphenol, branched, ethoxylated	The substance is not vPvB.
Distillates (petroleum), hydrotreated light	This substance is a UVCB and does not contain constituents included in the SVHC candidate list as vPvB at concentrations above 0.1%.
Propylene carbonate	Substance is not vPvB.
Tris(2-butoxyethyl) phosphate	Substance is not vPvB.

Other adverse effects: No data available.

#### **SECTION 13: Disposal considerations**

#### **Disposal methods:**

Do not dump into any sewers, on the ground or into any body of water. Store material for disposal as indicated in Section 7 Handling and Storage. Dispose of in accordance with local, state, and federal laws and regulations. Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.

# Contaminated packages:

Not determined or not applicable.

# **SECTION 14: Transport information**

#### United States Transportation of dangerous goods (49 CFR DOT)

UN number	1263	
UN proper shipping name	Paint	
UN transport hazard class(es)	3	
		3
Packing group	III	
Environmental hazards	None	
Special precautions for user	None	

## **International Maritime Dangerous Goods (IMDG)**

UN number	1263	
UN proper shipping name	Paint	
UN transport hazard class(es)	3	<b>1</b>
Packing group	III	
Environmental hazards	None	
Special precautions for user	None	

## International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	1263
UN proper shipping name	Not regulated

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.03.2021 Page 12 of 13

#### PoloKey Gloss Finish Part A

UN transport hazard class(es)	3
Packing group	III
Environmental hazards	None
Special precautions for user	None

## **SECTION 15: Regulatory information**

#### **United States regulations**

**Inventory listing (TSCA):** All ingredients are listed-active or exempt.

**Significant New Use Rule (TSCA Section 5):** None of the ingredients are listed.

**Export notification under TSCA Section 12(b):** None of the ingredients are listed.

SARA Section 302 extremely hazardous substances: None of the ingredients are listed.

#### **SARA Section 313 toxic chemicals:**

CERCLA:				
	78-51-3	Tris(2-butoxyethyl) phosphate	Listed	
	127087-87-0	4-Nonylphenol, branched, ethoxylated	Listed	

#### CE

78-51-3	Tris(2-butoxyethyl) phosphate	Listed	

**RCRA:** None of the ingredients are listed.

## Section 112(r) of the Clean Air Act (CAA):

78-51-3	Tris(2-butoxyethyl) phosphate	Listed			
Assachusetts Pight to Know					

#### Massachusetts Right to Know:

	64742-47-8	Distillates (petroleum), hydrotreated light	Listed
lew Jersey Right to Know:			

## New Jersey Right to Know:

64742-47-8	Distillates (petroleum), hydrotreated light	Listed
78-51-3	Tris(2-butoxyethyl) phosphate	Listed

#### **New York Right to Know:**

64742-47-8	Distillates (petroleum), hydrotreated light	Listed	
78-51-3	Tris(2-butoxyethyl) phosphate	Listed	

#### Pennsylvania Right to Know:

64742-47-8	Distillates (petroleum), hydrotreated light	Listed
78-51-3	Tris(2-butoxyethyl) phosphate	Listed

**California Proposition 65:** None of the ingredients are listed.

#### **SECTION 16: Other information**

#### Abbreviations and Acronyms: None

## Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use. Storage, transportation, and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material designated and may not be valid for such material used in combination with any other materials. Unless specified in the text. The responsibility to provide a safe workplace remains with user.

**NFPA:** 2-2-0

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.03.2021 Page 13 of 13

PoloKey Gloss Finish Part A

**HMIS:** 2\*-2-0

Initial preparation date: 03.03.2021

**Revision Notes:** 

Revision Date	Notes
2021-02-26	Revision 01

**End of Safety Data Sheet**