According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Page 1 of 9

Initial preparation date: 01.21.2020

Revision date: 02.13.2020

Endure Part A Satin

SECTION 1: Identification

Product identifier

Product name: Endure Part A Satin

Recommended use of the product and restriction on use

Relevant identified uses: Finishes, Coatings and Related Materials

Uses advised against: For Professional Use Only

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer: United States

Poloplaz 1 Paradise Park Road Jacksonville, AR 72076 501-985-1172 www.poloplaz.com

Emergency telephone number:

United States

Infotrac 1-800-535-5053 (24/7)

SECTION 2: Hazard(s) identification

GHS classification:

Skin sensitization, category 1

Label elements

Hazard pictograms:



Signal word: Warning

Hazard statements:

H317 May cause an allergic skin reaction

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P272 Contaminated work clothing must not be allowed out of the workplace

P280 Wear protective gloves/protective clothing/eye protection/face protection

P302+P352 IF ON SKIN: Wash with plenty of water/ ...

P333+P313 If skin irritation or rash occurs: Get medical advice/attention

P321 Specific treatment (see ... on this label)

P363 Wash contaminated clothing before reuse

P501 Dispose of contents/container to...

Hazards not otherwise classified: None

Generated using Total SDS[™] (patent-pending), www.GSMSDS.com

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Page 2 of 9

Initial preparation date: 01.21.2020

Revision date: 02.13.2020

Endure Part A Satin

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 107-98-2	1-methoxy-2-propanol monopropylene glycol methyl ether	1-6

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Show this Safety Data Sheet to the doctor in attendance.

After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After eye contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Dermal exposure may cause an allergic skin reaction. Symptoms may include irritation, redness, pain, rash, inflammation, itching, burning and dermatitis.

Delayed symptoms and effects:

Effects are dependent on exposure (dose, concentration, contact time).

Immediate medical attention and special treatment

Specific treatment:

Effects are dependent on exposure (dose, concentration, contact time).

Notes for the doctor:

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable extinguishing media:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Page 3 of 9

Initial preparation date: 01.21.2020

Revision date: 02.13.2020

Endure Part A Satin

Do not use water jet.

Specific hazards during fire-fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA with a full-face piece operated in positive pressure mode).

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Shut off all possible sources of ignition and avoid friction and impact.

Environmental precautions:

If contamination of sewers or waterways has occurred advise local emergency services.

Methods and material for containment and cleaning up:

Contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

Reference to other sections:

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well ventilated place. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep containers closed when not in use

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
NIOSH	1-methoxy-2-propanol monopropylene glycol methyl ether	107-98-2	TWA: 360 mg/m ³
	1-methoxy-2-propanol monopropylene glycol methyl ether	107-98-2	TWA: 100 ppm
	1-methoxy-2-propanol monopropylene glycol methyl ether	107-98-2	STEL: 540 mg/m³
	1-methoxy-2-propanol monopropylene glycol methyl ether	107-98-2	STEL: 150 ppm
ACGIH	1-methoxy-2-propanol monopropylene glycol methyl ether	107-98-2	TWA: 50 ppm

Generated using Total SDS[™] (patent-pending), www.GSMSDS.com

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.21.2020 Page 4 of 9

Revision date: 02.13.2020

Endure Part A Satin

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	1-methoxy-2-propanol monopropylene glycol methyl ether	107-98-2	STEL: 100 ppm
United States(California)	1-methoxy-2-propanol monopropylene glycol methyl ether	107-98-2	TWA: 100 ppm (360 mg/m³)
	1-methoxy-2-propanol monopropylene glycol methyl ether	107-98-2	STEL: 150 ppm (540 mg/m³)

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Effective ventilation in all processing areas.

Personal protection equipment

Eye and face protection:

Safety glasses

Skin and body protection:

Impervious clothing and chemical resistant gloves

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory protection

General hygienic measures:

Handle in accordance with good industrial hygiene and safety measures. Wash hands and face after handling chemical products. Wash hands before eating, drinking and smoking. Wash hands at the end of the workday.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	white liquid
Odor	mild
Odor threshold	NA
рН	6.5-8.0
Melting point/freezing point	NA
Initial boiling point/range	> 93C
Flash point (closed cup)	> 93C
Evaporation rate	NA
Flammability (solid, gas)	NA
Upper flammability/explosive limit	NA
Lower flammability/explosive limit	NA
Vapor pressure	NA
Vapor density	NA
Density	1.09
Relative density	NA

Generated using Total SDS $^{\text{\tiny{M}}}$ (patent-pending), www.GSMSDS.com

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Page 5 of 9

Initial preparation date: 01.21.2020

Revision date: 02.13.2020

Endure Part A Satin

Solubilities	Dispersible in water
Partition coefficient (n-octanol/water)	NA
Auto/Self-ignition temperature	NA
Decomposition temperature	NA
Dynamic viscosity	NA
Kinematic viscosity	NA
Explosive properties	NA
Oxidizing properties	NA

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal storage and handling conditions.

Possibility of hazardous reactions:

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid:

Incompatible materials.

Incompatible materials:

Strong oxidizing agents.

Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result
1-methoxy-2-propanol	oral	LD50 Rat: >5000 mg/kg
monopropylene glycol methyl ether	dermal	LD50 Rabbit: >15800 mg/kg

Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Serious eye damage/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Page 6 of 9

Initial preparation date: 01.21.2020

Revision date: 02.13.2020

Endure Part A Satin

Respiratory or skin sensitization

Assessment:

May cause an allergic skin reaction.

Product data:No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

OSHA Carcinogens: Not applicable

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. Substance data:

Name	Result
1-methoxy-2-propanol monopropylene glycol methyl ether	May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.21.2020

Revision date: 02.13.2020

Endure Part A Satin

No data available. **Other information:**No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Persistence and degradability
Product data: No data available.

Substance data:

Name	Result
1-methoxy-2-propanol monopropylene glycol methyl	Readily biodegradable in water.
ether	

Bioaccumulative potential

Product data: No data available. **Substance data:** No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

Generated using Total SDS™ (patent-pending), www.GSMSDS.com

Page 7 of 9

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Page 8 of 9

Initial preparation date: 01.21.2020

Revision date: 02.13.2020

Endure Part A Satin

International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

107-98-2	1-methoxy-2-propanol monopropylene glycol methyl ether	Listed
1107 30 2	12 methoxy 2 propulior monopropylene grycor methyr ether	Listea

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

SARA Section 302 extremely hazardous substances: Not determined.

SARA Section 313 toxic chemicals:

107-98-2	1-methoxy-2-propanol monopropylene glycol methyl ether	Not
		Listed

CERCLA: Not determined. **RCRA:** Not determined.

Section 112(r) of the Clean Air Act (CAA): Not determined.

Massachusetts Right to Know:

107-98-2	1-methoxy-2-propanol monopropylene glycol methyl ether	Listed

New Jersey Right to Know:

1-methoxy-2-propanol monopropylene glycol methyl ether	Listed
--	--------

New York Right to Know:

10	07-98-2	1-methoxy-2-propanol monopropylene glycol methyl ether	Listed
----	---------	--	--------

Pennsylvania Right to Know:

107-98-2	1-methoxy-2-propanol monopropylene glycol methyl ether	Listed
----------	--	--------

California Proposition 65: None of the ingredients are listed.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.21.2020 Page 9 of 9

Revision date: 02.13.2020

Endure Part A Satin

SECTION 16: Other information

Abbreviations and Acronyms: None **Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 3-1-0 **HMIS:** 3-1-0

Initial preparation date: 01.21.2020

Revision date: 02.13.2020

End of Safety Data Sheet